

SB-2.5

Product Overview

SMOKE BOMB CARTRIDGE (5 PACK)

- 5 Bombs per pack
- Ideal for openarea testing such as warehouses or sporting venues
- Grey/white smoke bombs ,burntime approx 240 sec



SMOKE-HSG

Product Overview

CANNED SMOKE DETECTOR TESTER



SMOKE-SOLO

Product Overview

CANNED SMOKE - SOLO (FOR SOLO DISPENSER)

- 250ml Can Smoke
- Solo dispenser use only
- No Damage to detector plastics/ components



**SMOKE-SOLO
-CO**

Product Overview

SOLO-CO AEROSOL FOR CARBON MONOXIDE

SOLO-Co Aerosol Can Smoke -
Dispenser Use Only



SMOKE-PEN

Product Overview

PEN STYLE SMOKE GENERATOR

- Complete with 6 smoke sticks
- 360 smoke tests of 30 seconds each
- 6 sticks equals approx 3 hours continuous smoke



SMOKE-REF

Product Overview

REFILL FOR SMOKE-PEN - (6 STICKS ONLY)

- Complete with 6 smoke sticks
- 360 smoke tests of 30 seconds each
- 6 sticks equals approx 3 hours continuous smoke



**SMOKE-
TESTIFIRE
TC3**

Product Overview

CARBON MONOXIDE TESTING CAPSULE FOR TESTIFIRE UNIT

- Between 50 & 150 tests per capsule



**SMOKE-
TESTIFIRE TS3**

Product Overview

SMOKE TESTING CAPSULE FOR TESTIFIRE UNIT

- Between 500 & 1,000 tests per capsule



**SMOKE-
SOLO822**

Product Overview

SOLO 822 HEAT AND SMOKE TESTER KIT TO 6M

The Solo 822 kit includes the following:

- 1 x Cordless heat detector tester, 1 x Smoke dispenser, 1 x Detector removal tool, 1 x 4.5m fibreglass telescopic extension pole, Protective carry bag



SMOKE-SOLO824



Product Overview

SOLO 824 HEAT AND SMOKE TESTER KIT TO 8.2M

The Solo 824 kit includes the following:

1 x Cordless heat detector tester, 1 x Smoke dispenser, 1 x Detector removal tool, 1 x 4.5m fibreglass telescopic extension pole, Protective carry bag

SMOKE-SOLO100



Product Overview

SOLO FIBREGLASS TELESCOPIC POLE - 4.5M

- 4.5m reach
- Up to 3 SOLO101 extension poles can be added to the SOLO100
- The pole also houses the battery batons for the cordless heat tester

SMOKE-SOLO720



Product Overview

SOLO BATTERY BATON FOR CORDLESS HEAT DETECTOR TESTER

- Charges from 220/240V AC supply or 12V DC car socket
- Use Solo Fast Battery Charger (NC-Solo 721) to recharge battery batons continuous smoke

SMOKE-SOLO101



Product Overview

SOLO FIBREGLASS EXTENSION

POLE - 1.13M

SMOKE-SOLO721



Product Overview

SOLO FAST BATTERY BATON CHARGER

- Charger uses 220/240V AC supply or 12V DC car socket

SMOKE-TESTIFIRE6001



Product Overview

TESTIFIRE SMOKE & HEAT DETECTOR TESTER

This kit includes the following:

Testing head, 2 x battery batons, Battery charger, Detector removal tool, 1 x smoke capsule, 4.5m telescopic

SMOKE-TESTIFIRE 6201



Product Overview

TESTIFIRE SMOKE, HEAT & CO DETECTOR TESTER

This kit includes the following:

Testing head, 2 x battery batons, Battery charger, Detector removal tool, 1 x CO smoke capsule, 4.5m telescopic

SMOKE-TESTIFIRE2001



Product Overview

TESTIFIRE SMOKE, HEAT & CO DETECTOR TESTER

Testing head, 2 x battery batons, Battery charger, 1 x smoke capsule, 1 x CO capsule

SMOKE-TESTIFIRE1001



Product Overview

TESTIFIRE SMOKE, HEAT DETECTOR TESTER

This kit includes the following:

- Testing head
- 2 x battery batons,
- Battery charger
- 1 x smoke capsule

SMOKE-SOLO330



Product Overview

SOLO SMOKE DISPENSER UNIT

- Strong & Durable yet lightweight
- Clear cup & diaphragm to view detector LED
- Suits most detectors

LD/USB-DB9-WIN7



Product Overview

10CM LEAD, PREMIUM USB TO DB9 SERIAL CONVERTER

- 10cm lead
- Windows 7 Compatibility
- AND yes this will work with VESDA, FIRENET etc

T2312A



Product Overview

140MM HOLE SAW

- Suitable for most 100mm quick fit speakers
- *Check speaker specifications

T2180



Product Overview

33 PIECE SECURITY BIT SCREWDRIVER SET

Package Contains: : 4 Triwing, 1, 2, 3 & 4.9, Torx, T8, T10, T15, T20, T25, T27, T30, T35 & T40.4, Snake Eye, 4, 6, 8 & 10.12, Hex Metric 2, 2.5, 3, 4, 5 & 6., Imperial 5/64", 3/32", 7/64", 1/8", 9/64" & 5/32".3, Torque, 6, 8 & 10, Magnetic hex extension bar

FP1200 FP1200/LED



Product Overview

The **Famco Fire Detector Holder** allows the installation of a Fire Detector within the ceiling space at variable heights.

The Famco Fire Detector Holder enables removal for inspection of the detector in the ceiling space from below the ceiling

Pole options available : 1,2 and 3 metres.

GASSOLD



Product Overview

100W GAS SOLDERING IRON

Iroda 100W gas soldering iron with auto ignition

DUSTOFF



Product Overview

CAN COMPRESSED AIR

Can compressed air suits detector & internal panel cleaning

LD/DB15-DB15



Product Overview

D15M-D15F VESDA HANDHELD PROGRAMMER LEAD

DB15 Male to DB9 Female 1.8m

- Sets detector into alarm within seconds
- Rechargeable from mains or car socket

LD/DB9-DB9



Product Overview

D9M-D9F VESDA SERIAL LEAD

DB15 Male to DB9 Female 1.8m

IM-2001



Product Overview

DIGITAL IMPEDANCE METER

An absolute necessity for all PA system installers. This impedance meter calculates and displays speaker loads in watts.

Most impedance meters on the market display the impedance in ohms, leaving the installer to calculate the system wattage. Measures and calculates loads for both 100V and 70V line systems. The meter comes with test leads and 9V battery.

CABLERED



Product Overview

RED TWIN 24/0.20 100MTR

Size: 2 x 24/0/20 Voltage Rating: 600V
AC Current Rating: 7.5 Amps
Outside Dimensions: 6 x 3.5mm
Conductor Area: 0.75mm²
Conductor Gauge: 18AWG
Temperature Rating: 75°C
Roll Size: 100m